

Montageanleitung

Runder verstellbarer Spotlicht

Mounting instructions

Round adjustable spotbulb

Instructions de montage

Spot à lampe rond orientable

Monteringsanvisning

Rund justerbar Spotlampa

Montagehandleiding

Ronde verstelbaar Spotlicht

Instrucciones de montaje


Lámpara spot redonda orientable

Istruzioni di montaggio

Spot a lampada rotonda orientabile

Asennusohje

Pyöreä suunnattava spotvalo



Lieferumfang
Kit includes
Fourniture

Leveransomfattning
Inhould set
Volumen del suministro

Dotazione di fornitura
Osaluettelo

A

1 x



1 x



2JA 343 795-...

B


1 x






1 x




1 x



2JA 343 795-...






Nicht im Lieferumfang enthalten
 Not included with kit
 Non fournis
 Ingår ej i leveransen
 Worden niet meegeleverd
 No se incluyen en el suministro
 Non in dotazione
 Eivät kuulu toimitukseen



M max 1.5 Nm





4 X






**ø2,9 mm
 DIN 7981**

A






5

B







7



Lampenwechsel
Changing the bulb
Remplacement de la lampe

Glödlampsbyte
De gloeilamp vervangen
Cambio de lámparas

Sostituzione del tubo
lampeggiatore
Polttimon vaihto



Max W5W,
(Hella 8GP 003 594-511)



Technische Daten		Runder verstellbarer Punktstrahler
Art.-Nr.	2JA-	343 795-...
Eingangsspannung	12 V	24 V
Stromverbrauch	5 W	5 W
Materialien	Gehäuse: ABS, Kugel: ABS, Lichtscheibe: PC, Reflektor: PC, Rahmen: ABS oder Stahl	
IP Klasse	3X	

Technical Data		Round adjustable Spotbulb
Part No	2JA-	343 795-...
Input voltage	12 V	24 V
Power consumption	5 W	5 W
Materials	Housing: ABS, Ball: ABS, Lens: PC, Reflector: PC, Bezel: ABS or Steel	
IP Class	3X	

Données Techniques		Spot à lampe rond orientable
Référence	2JA-	343 795-...
Tension d'entrée	12 V	24 V
Consommation	5 W	5 W
Matériaux	Boîtier: ABS, Bille: ABS, Voyant: PC, Réflecteur: PC, Enjoliveur: ABS ou Acier	
Classe IP	3X	

Teknisk Information

Rund justerbar spotlampa

Artikelnr	2JA-	343 795-...
Inspänning	12 V	24 V
Effektförbrukning	5 W	5 W
Material	Kåpa: ABS, Klot: ABS, Lins: PC, Reflektor: PC, Infattning: ABS eller Stål	
IP klass	3X	

Technische Gegevens

Ronde verstelbaar spotlicht

Artikelnr.	2JA-	343 795-...
Ingangsspanning	12 V	24 V
Opgenomen vermogen	5 W	5 W
Materialien	Huis: ABS, Bol: ABS, Lens: PC, Reflector: PC, glasing: ABS of Staal	
IP Klasse	3X	

Datos Técnicos

Lámpara spot redonda orientable

Nº de artículo	2JA-	343 795-...
Tensión de entrada	12 V	24 V
Consumo de corriente	5 W	5 W
Materiales	Caja: ABS, Bola: ABS, Lente: PC, Reflector: PC, Pantalla: ABS o Acero	
Clase IP	3X	

Dati Tecnici		Spot a lampada rotonda fissa	
N. art.	2JA-	343 795-...	
Tensione di ingresso	12 V	24 V	
Assorbimento di potenza	5 W	5 W	
Materiali	Scatola: ABS, Sfera: ABS, Lente: PC, Riflettore: PC, Cornice: ABS o Acciaio		
Classe IP	3X		

Tekniset Tiedot		Pyöreä suunnattava spotvalo	
Tuotenro.	2JA-	343 795-...	
Jännite	12 V	24 V	
Teho	5 W	5 W	
Materiaalit	Runko: ABS, Kuula: ABS, Lasi: PC, Heijastaja: PC, Kehys: ABS tai Teräs		
IP Luokka	3X		